





Isola Pod

Installation Instructions





Accessories List

Items	Illustration	Use
NO.1		<ul style="list-style-type: none"> The bottom end of the arc-shaped column is connected to the platform. The upper end of the arc-shaped column connected to ceiling.
NO.2		<ul style="list-style-type: none"> Connection of glass modules and curved steel plate columns; Connection of glass modules and steel plate modules; Connection of ceiling module and ceiling frame
NO.3		<ul style="list-style-type: none"> Floor/ceiling frame and glass module connection ; Floor/ceiling frame and steel plate module connection; Internal connection of platform frame; Connection between ceiling cover and ceiling frame
NO.4		<ul style="list-style-type: none"> Mechanical arm for fixing closed doors





Please read this manual carefully and check all parts before assembly.
And please be careful during installation to prevent product injury or damage.


Step 1: Place the platform




Step 2: Install steel plate modules on both sides





NO.1




STEP 1




STEP 2

NO.2	NO.3
	

Step 3: Connect the frame with casters to the steel plate module and fix the steel plate module




STEP 1



STEP 3

The frame with casters is fixed with NO.3. Before fixing, the steel plates on the sides need to be installed.






STEP 2

Step 4: Install ceiling frame



NO.1

NO.3





NO.1

NO.3



Step 5: Install glass panel






Use No. 2 long screws to connect the glass frame and steel plate frame

Glass cover: snap assembly

glass cover

The bottom end of the glass module is placed on the protruding part on the outside of the platform.





Note: The glass outer cover must be installed after the door leaf and ceiling module are assembled (to solve the problem of door leaf not closing and ceiling light leakage)






Step 6: Fix glass module


Use No. 3 screws to connect the glass module to the ceiling frame




Use No. 3 screws to connect the glass module to the platform frame






Step 7: Install ceiling frame




The ceiling module is placed in the middle of the ceiling frame





Use No. 2 screws to lock with the ceiling frame



Step 8: Wiring-1






Step 8: Wiring-2






Step 9: Install ceiling cover








Step 10: Install door




Lift the door leaf and insert the door leaf hinge into the curved door frame hinge.








Step 11: Install door closer





Loosen the screws of the door closer at the top of the door frame



Swing the door closer arm and align it with the screw hole to lock it



Step 12: Adjustment level



* After adjusting the foot pads to the level according to the on-site ground conditions, remove the wooden blocks.

Step 13: Place felt, flooring, rugs

